

Contents

| | |
|---------|---|
| Preface | v |
|---------|---|

| | |
|-------------------------------|----------|
| Chapter 1 Introduction | 1 |
|-------------------------------|----------|

| | |
|---|----|
| 1.1 Prerequisites and textbooks | 1 |
| 1.2 Physical phenomena and theoretical tools | 5 |
| 1.3 The path integrals | 9 |
| 1.4 Quantum statistical mechanics of a particle | 13 |
| 1.5 Few Gaussian integrals | 19 |
| 1.6 Another take on the path integral for the harmonic oscillator | 20 |

| | |
|--|-----------|
| Chapter 2 Feynman diagrams in Quantum/Statistical mechanics | 27 |
|--|-----------|

| | |
|--|----|
| 2.1 Anharmonic oscillators <i>a la</i> QM textbooks | 29 |
| 2.2 The first Feynman diagrams | 32 |
| 2.3 Disconnected diagrams | 37 |
| 2.4 Diagrams in ω representation and their re-summation | 39 |

| | |
|---|---------------|
| Chapter 3 Real scalar field and the renormalization group | 43 |
| 3.1 Path integrals for a scalar field | 44 |
| 3.2 The Matsubara sums lead to particle/hole interpretation of the diagrams | 51 |
| 3.3 Weakly interacting scalar field | 55 |
| 3.4 Symmetry breaking and the Landau theory of the second order phase transitions | 58 |
| 3.5 More on critical indices | 61 |
| 3.6 Renormalization group and Wilson's " ϵ -expansion" | 63 |
| Chapter 4 Complex scalar fields | 71 |
| 4.1 Phase symmetry and its breaking | 72 |
| 4.2 The conserved charge and the chemical potential | 73 |
| 4.3 The non-relativistic approximation and normalization | 79 |
| 4.4 Weakly coupled Bose gas and Bose-Einstein Condensation | 81 |
| 4.5 Renormalized quasiparticles and condensates | 87 |
| 4.6 Summary of the perturbation theory for weakly coupled Bose gas | 91 |
| Chapter 5 Liquid 4He | 95 |
| 5.1 History | 95 |
| 5.2 Superfluidity in experiments | 98 |
| 5.3 Elementary excitations | 102 |
| 5.4 Quasiparticle decays, in weakly coupled Bose gas and in the He-II | 106 |
| 5.5 Landau's criterium of superfluidity | 111 |

Contents

xi

| | |
|-------------------------------------|-----|
| 5.6 Rotation and vortices | 113 |
|-------------------------------------|-----|

Chapter 6 Bose-Einstein Condensation of trapped ultracold atoms 121

| | |
|--|-----|
| 6.1 The history of BEC | 122 |
| 6.2 Depletion of the condensate | 127 |
| 6.3 Gross-Pitaevsky equation and repulsive/attractive Bose gas | 128 |
| 6.4 Rotation | 134 |

Chapter 7 The electron gas 137

| | |
|--|-----|
| 7.1 Fermi systems to be discussed | 138 |
| 7.2 Path integrals and Matsubara sums for fermions | 140 |
| 7.3 Weakly interacting Fermi gas | 145 |
| 7.4 Cold electron gas | 148 |
| 7.5 The polarization diagram and the Lindhard function | 151 |
| 7.6 The strongly coupled electron fluid in graphene | 156 |

Chapter 8 The nuclear matter 159

| | |
|---|-----|
| 8.1 The nuclear forces | 160 |
| 8.2 The nuclear matter in the relativistic mean field model | 164 |
| 8.3 Nuclear forces and renormalization group | 170 |
| 8.4 Nuclear matter and the renormalization group | 172 |
| 8.5 Relativistic mean field and the optical potential | 173 |

Chapter 9 Cooper Pairing and the BCS theory of superconductivity 177

| | |
|---|------------|
| 9.1 Superconducting metals | 178 |
| 9.2 Cooper pairing | 181 |
| 9.3 A continuous renormalization group (RG) | 184 |
| 9.4 Renormalization group and cold Fermi systems | 189 |
| 9.5 BCS Pairing and Gorkov's abnormal Green functions | 194 |
| Chapter 10 Pairing in liquid 3He and in the nuclear matter | 199 |
| 10.1 Liquid 3He and Landau Fermi Liquids | 200 |
| 10.2 Zero sound and the Peierls instability from the re-summed Lindhard diagram | 206 |
| 10.3 Superfluidity in 3He | 209 |
| 10.4 Pairing in nuclei and nuclear matter | 211 |
| Chapter 11 Vortices and the topological matter | 219 |
| 11.1 The BKT phase transition of the vortex matter in two dimensions | 220 |
| 11.2 Vortices in superconductors | 227 |
| 11.3 Type I and II superconductors | 229 |
| 11.4 Phase transition in strongly rotating nuclei | 234 |
| 11.5 "Glitches" of the pulsars | 238 |
| Chapter 12 Strongly coupled fermionic gases | 243 |
| 12.1 Weak and strong coupling regimes in trapped fermionic gases | 244 |
| 12.2 Global phase diagram | 246 |

Contents

xiii

| | |
|--|------------|
| 12.3 Thermodynamics and kinetics at strong coupling | 250 |
| Chapter 13 Numerical evaluation of the path integrals | 255 |
| 13.1 Numerical evaluation of multi-dimensional integrals | 256 |
| 13.2 The first steps: PIMC for few-body systems with “distinguishable” par- | |
| ticles | 260 |
| 13.3 Liquid 4He PIMC simulations: Bose-clusters, condensation and the crit- | |
| ical temperature | 261 |
| 13.4 Path integrals for fermions | 270 |
| Chapter 14 Quantum field theories on the lattice and supercomput- | |
| ers | 275 |
| 14.1 History | 277 |
| 14.2 Gauge invariant Abelian theory on the lattice | 280 |
| 14.3 The non-Abelian gauge theory on the lattice | 285 |
| 14.3.1 The confining potential | 293 |
| Chapter 15 Theory of quark-gluonic plasma | 297 |
| 15.1 Overview and scales of QGP | 298 |
| 15.2 The perturbative formalism of QCD | 302 |
| 15.3 The polarization operator | 305 |
| 15.4 Cold quark matter and the perturbation theory | 309 |
| 15.5 Ring diagram re-summation | 311 |

| | |
|---|------------|
| 15.6 IR divergences and magnetic sector | 313 |
| 15.7 Where do the perturbative series converge? | 315 |
| 15.8 HTL re-summations and the quasiparticle gas | 316 |
| 15.9 Lattice gauge theory simulations at finite T | 322 |
| Chapter 16 Quark-Gluon Plasma in experiment | 327 |
| 16.1 Experimental quest for quark-gluon plasma | 328 |
| 16.2 Mapping the phase diagram | 330 |
| 16.3 Collective flow and viscosity of QGP | 332 |
| 16.4 Relativistic Hydrodynamics | 335 |
| 16.5 The “Little Bang” versus the “Big Bang”: sound circles and fluctuations | 340 |
| 16.6 Phase transitions in the Big Bang: sound cascades and gravity waves . | 348 |
| Chapter 17 The QCD vacuum I. Monopoles and confinement | 355 |
| 17.1 Confinement and the flux tubes | 356 |
| 17.2 Monopoles in non-Abelian theories | 361 |
| 17.3 Electric-magnetic duality and the RG flow | 370 |
| 17.4 Strongly coupled QGP as a “dual” plasma | 375 |
| Chapter 18 The QCD vacuum II. The chiral symmetries and their breaking | 385 |
| 18.1 Light quarks and the chiral symmetries | 387 |
| 18.2 The (non-existent) $U_a(1)$ chiral symmetry | 394 |

Contents

xv

| | |
|---|------------|
| 18.2.1 The chiral anomaly near the UV cutoff | 394 |
| 18.2.2 Chiral anomalies, the IR approach | 402 |
| 18.3 The Nambu-Iona-Lasinio model | 405 |
| 18.4 Gauge topology and the chiral symmetry breaking | 416 |
| Chapter 19 Chiral matter | 429 |
| 19.1 Electrodynamics in a CP violating matter | 431 |
| 19.2 Chiral magnetic effect (CME) and the chiral anomaly | 435 |
| 19.3 Chiral vortical effect | 439 |
| 19.4 The chiral waves | 440 |
| Chapter 20 Cold quark matter and color superconductivity | 443 |
| 20.1 Quark Cooper pairs | 446 |
| 20.2 Topology-induced color superconductivity: the 2SC phase | 452 |
| 20.3 Three flavor QCD: the CFL phase | 457 |
| 20.4 Magnetic pairing in asymptotically dense matter | 459 |
| Chapter 21 The QCD vacuum III: Instanton-dyons | 465 |
| 21.1 Non-zero holonomy and the finite-temperature “Higgsing” | 467 |
| 21.2 Instanton-dyons and their ensembles | 471 |
| 21.3 Modifying quark periodicity properties in the Euclidean time | 478 |

| | |
|---|------------|
| Chapter 22 Parting comments | 485 |
| 22.1 The Feynman diagrams and their re-summations. | 485 |
| 22.2 Bose-Einstein Condensation and reality of the “Cooper pairs” | 490 |
| 22.3 Pairing can occur even without the Fermi surface! | 492 |
| 22.4 The “topological matter” | 493 |
| 22.5 Renormalization group flows and dualities | 495 |
| Bibliography | 499 |