


Quantum Harmonic Oscillator: Wavefunctions

The Schrodinger equation for a harmonic oscillator may be solved to give the wavefunctions illustrated below.



For the simple harmonic oscillator (the spring) the potential is

$$V = \frac{1}{2}kx^2 \quad (1)$$

and the classical oscillation frequency is

$$\omega_o = \sqrt{\frac{k}{m}} \quad \omega_o = 2\pi f \quad (2)$$

We used the uncertainty principle to estimate that the particle at the bottom of the well oscillates over a length scale

$$L = \left(\frac{\hbar^2}{mk}\right)^{1/4} \quad (3)$$

The lowest energies are

$$E_n = \left(\frac{1}{2} + n\right) \hbar\omega_o \quad n = 0, 1, 2, 3 \dots \quad (4)$$

The lowest wave functions are

$$\Psi_0 = \left(\frac{1}{\sqrt{\pi}L}\right)^{1/2} e^{-y^2/2} \quad (5)$$

$$\Psi_1 = \left(\frac{1}{\sqrt{\pi}L}\right)^{1/2} \sqrt{2}ye^{-y^2/2} \quad (6)$$

$$\Psi_2 = \left(\frac{1}{\sqrt{\pi}L}\right)^{1/2} \frac{1}{\sqrt{2}}(2y^2 - 1)e^{-y^2/2} \quad (7)$$

where

$$y \equiv \frac{x}{L} \quad (8)$$